




ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: **NMN, BETA-NICOTINAMIDE MONONUCLEOTIDE**
 Product Code: N/A
 Batch/Lot: NMN210119
 MQL Accession: 210211-0260

PO#: N/A
 Sample Description: BULK
 Rush: N/A
 Received Date: 02/11/21

Test Requested:	Test Method:	Specification:	Results:
Nicotinamide Mononucleotide (NMN)	MQLTM-1126 By HPLC	NLT 99.00%	101.23%*
Lead	MQLTM-0278 By ICP-MS	N/A	0.330 ppm
Arsenic	MQLTM-0278 By ICP-MS	N/A	0.146 ppm
Cadmium	MQLTM-0278 By ICP-MS	N/A	0.018 ppm
Mercury	MQLTM-0278 By ICP-MS	N/A	Not Detected (MDL 0.001 ppm)

Prepared By: 

 Michelle Stuckey/Document Control Specialist

MAR 05 2021

 03/05/21

Reviewed By: 

 Esmeralda Arellano/QA Reviewer

MAR 05 2021

 03/05/21

Comment: (*) This result is not covered under our A2LA accreditation. The test has been carried out following general compendial methods (USP/NF, EP, JP and AOAC). REV.01 Revised zip code
 Micro Quality Laboratories, Inc. (MQL), is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis. MQL's scope of accreditation may be found on A2LA or MQL websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.