

novos

THE SCIENCE BEHIND OUR
INGREDIENTS

INTRODUCTION

At NOVOS, we are fascinated by aging, and ways to slow it down. Our ingredients have been selected based on the best scientific evidence available, and by collaborating with esteemed scientists and medical doctors, including those on our Scientific Advisory Board.



GLYCINE



GLUCOSAMINE



FISETIN




**MICRODOSE
LITHIUM**



**CALCIUM ALPHA-
KETOGLUTARATE**




PTEROSTILBENE



**RHODIOLA
ROSEA**



**MAGNESIUM
MALATE**



HYALURONIC ACID



THEANINE



VITAMIN C



GINGER



NMN

INTRODUCTION

NOVOS' ingredients have been selected with the following criteria in mind:

Ingredient Selection Criteria

1. They have the ability to impact aging mechanisms (aka "hallmarks of aging")

There are many different mechanisms that cause us to age and that when slowed down, can keep us younger for longer.

2. They impact multiple aging mechanisms at the same time Ideally, an ingredient influences not just one, but multiple aging mechanisms.

3. They have been able to extend lifespan in various animal models, hinting at conserved evolutionary pathways

The ingredients extend lifespan not in just one animal model, but in different species, like *C. elegans* (a little worm often used in aging research), yeast, fruit flies, or mice.

4. They are associated with reduced risk of mortality in humans

Ideally, people who take specific ingredients have reduced mortality.

5. They are associated with reduced risk of different aging-related diseases

A substance that can reduce the risk of different diseases of aging simultaneously is likely to act on an underlying mechanism that unites them, namely aging itself.

6. They are recognized as safe by FDA, EFSA and other organizations

If they are recognized as safe by large institutional bodies like the FDA (Food and Drug Administration) and EFSA (European Food Safety Agency), which is another testimony to their safety.

7. They are nature-based

Preferably, they are nature-based and have been present alongside human evolution, and not novel man-made, lab-made molecules.

8. They are found in the human body, but levels decrease with age

Ideally, they are found in our body, and involve substances which decline with age. This may hint at their safety, and to their role in accelerating (or contributing) to aging.

9. They have a (very) low side effect profile

The substances are known to cause very little side effects (if any), and no serious side effects, even at greater dosages.

10. They have been used for many decades in humans without serious side-effects

Ideally, the substances also have already been used for decades or even centuries without serious side-effects or issues.



GLYCINE

Ingredient Overview

Glycine has shown to extend lifespan in different species. In humans, higher glycine levels are associated with heart health, combating inflammaging at the cellular level, and supporting glucose metabolism.

A Detailed Look

Glycine is the smallest amino acid in our body. Glycine plays various roles in health and aging. High levels of glycine levels have been associated with heart health in humans [1]. Glycine supplementation has been shown to combat inflammaging [2] and support a healthy inflammatory response at the cellular level in humans [3], [4]. Glycine has also been shown to help in the removal of glucose from blood [5]. In young and middle-aged adults, glycine supports healthy cognitive functions such as memory and attention [6]. Glycine can contribute to more restful sleep [7], [8] and induce feelings of calmness [9]. Some athletes use glycine to improve muscle function, joint health, and recovery [10].

Supplementing with glycine can improve glutathione production, leading to reduced oxidative stress in elderly people [11] - glycine is a building block of glutathione, an important antioxidant and repair protein that each of our cells need. Glycine has also been shown to protect muscles against stress in human studies [10]. As an important component of collagen, glycine can also improve skin health and reduce the appearance of wrinkles [12].

Unfortunately, during aging, glycine levels decline [1]. Scientists claim they “reversed aging” in human cell lines by using glycine [13], [14]. Adding glycine to fibroblasts from 97-year-old people restored their normal mitochondrial function to much younger levels [14].

Glycine has shown to extend lifespan in various organisms, including mammals [15], [16], fruit flies [17] and the *C. elegans* worm [18].

Glycine can combat cellular aging in many ways. For example, glycine contributes to healthy mitochondria, which are the power plants of our cells [14]. Glycine also supports a healthy methionine metabolism [17], which is important for proper methylation and healthy aging. Glycine decreases oxidative stress which can support healthy aging [19].

Furthermore, glycine is a chaperone. Chaperones are small molecules that protect proteins and support proper recycling of proteins, which plays an important role in healthy aging. Glycine also helps cells to better withstand the effects of too much glycation [20], [21].

GLUCOSAMINE

Ingredient Overview

Large studies found that people who take glucosamine live longer. Glucosamine intake was also associated with better heart health. In animals, glucosamine extends lifespan. Glucosamine targets inflammaging at the cellular level, and helps the body to manage oxidative stress and support autophagy.

A Detailed Look

Glucosamine is a natural molecule present in your body in skin, bones, nails, ligaments, and the cartilage of your joints. Studies found that glucosamine intake was associated with reduced mortality in humans [22], [23]: the higher the intake of glucosamine, the lower the incidence of people dying. A meta-analysis of food supplements showed that glucosamine intake was associated with improved heart health in humans [24]. People who take glucosamine supplements also seem to have less inflammaging at the cellular level [25].

Glucosamine has shown to extend lifespan in various organisms [18], [26]. In one study, glucosamine given to mice extended lifespan by 10%, especially in male mice. Scientists believe that glucosamine can slow down aging by mimicking a calorie-restricted diet [26]. Glucosamine can protect DNA against damage [27], help the body to manage cross-linking [28] and oxidative stress [29], [30], and support autophagy (supporting cells to properly recycle proteins, which is important to maintain youthfulness of cells) [31].

Interestingly, glucosamine is a supplement that can improve skin health and reduce the appearance of skin aging and wrinkles [32]. Glucosamine also contributes to a healthy expression of collagen, hyaluronan synthase and other important proteins that make up our skin [33].



FISETIN

Ingredient Overview

Fisetin has shown to extend lifespan in animals. Fisetin helps the body to manage senescent cells, and can combat inflammaging at the cellular level.

A Detailed Look

Fisetin is a naturally occurring substance found in fruits and vegetables like strawberries, apples and grapes. In humans, fisetin can help to target the effects of immune aging at the cellular level [34]. Studies show that fisetin can help to manage senescent cells. Senescent cells are damaged cells that accumulate in the body during aging and secrete substances that damage normal, healthy cells, thus further contributing to aging. “Senolytics” are substances that clear senescent cells. Besides fisetin, another substance that can promote senolytic activity is quercetin. However, fisetin seems to be more potent [35].

Studies demonstrated that fisetin can extend median and maximum lifespan in mice, even when taken late in a mouse’s life (equivalent to 50 or 60 years old for a human) [35]. Another study showed that fisetin reduced the impact of aging in a mouse model of accelerated aging [36].

Fisetin has many other beneficial effects on the aging process besides helping the body to manage senescent cells. For example, fisetin contributes to the healthy function of the mTOR pathway [37], which plays an important role in aging and is where many of the health benefits behind fasting are derived. Fisetin can also reduce oxidative stress [38] and target inflammaging and glycation at the cellular level [39]–[41]. Fisetin can also have various beneficial effects on the skin. For example, fisetin can reduce the appearance of skin wrinkles and appearance of skin aging [42], [43]. Fisetin also has a positive impact on normal brain function and brain aging [44]–[47].

MICRODOSE LITHIUM

Ingredient Overview

Various studies found that people who take micro doses of lithium live longer. In human studies, supplementing with microdosed lithium supports healthy brain aging. Micro doses of lithium extend lifespan in multiple species.

A Detailed Look

Lithium is a mineral present in igneous rocks. From these rocks, lithium has seeped into water springs and rivers, and into our drinking water. Studies show that people living in areas with high amounts of lithium in their drinking water live longer on average [48]–[50]. Although these studies don't prove causation, they do point to a correlation between the amount of lithium in drinking water and longer lifespans.

Studies show that lithium extends lifespan in many different species [50]–[53]. Studies in humans found that people who take lithium have longer lifespans [54], [55] and less brain aging [56]–[58]. Clinical trials in humans found that micro-dosed lithium could improve brain aging [59].

Lithium impacts various mechanisms involved in aging and longevity. Lithium can contribute to a healthy epigenome [52], [60], [61], which can increase the production of healthy levels of neuroprotective proteins, such as brain-derived neurotrophic factor (BDNF) [62]–[64]. Lithium can also target inflammaging at the cellular level [65]–[67], help the body to deal with senescent cells [68], reduce oxidative stress and support autophagy [69], helping the cells to recycle proteins. In humans, intake of lithium has been associated with longer telomeres [70]–[73].

These and various other effects can contribute to the life extension effects of lithium that are observed in different species, including humans.

Interestingly, a low dose of lithium is sufficient to attain various health benefits. Microdose lithium is an amount in the range of 300 microgram (ug) to a few milligrams (mg) per day. This is in stark contrast to the amounts of lithium prescribed to treat psychiatric disorders such as bipolar disease. These doses are in the range of hundreds of milligrams of lithium per day – so, at least hundreds of times higher than the microdose amounts (NOVOS contains only 1 mg of pure lithium). Studies show that micro-dosed lithium exerts beneficial effects on brain health and longevity [48]–[50], [74].



CALCIUM ALPHA-KETOGLUTARATE

Ingredient Overview

Alpha-ketoglutarate extends lifespan and healthspan in different species. In humans, alpha-ketoglutarate has shown to protect cells against damage and stressors. Alpha-ketoglutarate supports a healthy metabolism and a healthy epigenome.

A Detailed Look

Alpha-ketoglutarate (AKG) is a small molecule naturally present in our body. During aging, levels of AKG decline. Studies have shown that AKG extends lifespan in different organisms, such as mice [75], *C. elegans* worms [76] and fruit flies [77]–[79].

A recent study, conducted at the Buck Institute – one of the world-leading aging research institutes – found that alpha-ketoglutarate extended lifespan in old mice by 12 percent [75]. More importantly, AKG extended healthspan by an impressive 41 percent; the animals not only lived longer, they stayed healthier and disease-free for considerably longer.

Alpha-ketoglutarate also significantly reduced hair graying in elderly animals [75]. In humans, AKG helps organs and muscles to better attain their normal function after traumatic events or taxing surgery [80]–[84]. AKG can also help women to preserve healthy bones for longer [85], [86].

Alpha-ketoglutarate serves as a fuel for the mitochondria, the power plants of our cells. Apart from this, AKG has various other functions in the body, like regulating carbohydrate, protein and nitrogen metabolism.

Alpha-ketoglutarate also has epigenetic effects. The epigenome is the intricate molecular machinery surrounding the DNA that decides which genes are switched on or off. The older we get, the more the epigenome becomes dysregulated. AKG helps important epigenetic enzymes to function properly, like TET enzymes, which also contribute to stem cell health and maintenance [87], [88]. For this, AKG works synergistically with vitamin C, a vitamin that is also important for a healthy epigenome [89].

Given alpha-ketoglutarate serves as a fuel for the mitochondria, it could provide more energy and endurance. That is why athletes and bodybuilders have been taking alpha-ketoglutarate for decades. Calcium alpha-ketoglutarate is also involved in collagen production, and can play a role in maintaining healthy, youthful skin [90], [91].

PTEROSTILBENE

Ingredient Overview

Pterostilbene, a natural substance found in blueberries, is better absorbable and lasts longer in the body than resveratrol, a compound that has shown to extend lifespan in different species.

Pterostilbene can target inflammaging at a cellular level and contribute to a healthy epigenome and DNA stability.

A Detailed Look

Pterostilbene is a substance found in fruits, vegetables and nuts. Blueberries are often referenced as one of the richest sources of pterostilbene. Pterostilbene is closely related to resveratrol, which came into the scientific spotlight as a promising anti-aging substance given early studies that showed that resveratrol extended lifespan in various animals [92]–[95]. However, resveratrol has a very short half life and low absorption. On the other hand, pterostilbene is four times better absorbed and has a considerably longer half life in the body than resveratrol.

Many studies demonstrate beneficial effects of pterostilbene on health and the aging process. In humans, pterostilbene has shown to help to maintain a healthy blood pressure [96].

Pterostilbene reduces oxidative stress. Animal studies show that pterostilbene upregulates powerful antioxidant enzymes in cells, like superoxide dismutase, catalase, glutathione peroxidase and glutathione reductase [97]. In animal studies, pterostilbene has been found to reduce oxidative stress and mediate normal inflammation levels on a cellular level better than resveratrol [98], [99].

Pterostilbene can also help regulate inflammation in human vascular cells [100]. Pterostilbene is an autophagy inducer [101], [102]. Autophagy is the process of clearing up cellular waste that accumulates in the cells. During aging, autophagy is reduced. Pterostilbene can also activate AMPK, an important energy sensor in the cells, which inhibits mTOR, a strong inhibitor of autophagy [103].

Pterostilbene can also target inflammaging at a cellular level [104]–[106].

Pterostilbene also contributes to a healthy epigenome and DNA stability. Pterostilbene can support sirtuin metabolism, especially SIRT1 [107, p. 1], [108]. Sirtuins are proteins that repair DNA damage and improve metabolic functioning, leading to increased mitochondrial biogenesis (more production of mitochondria) and extended lifespan [109], [110].



RHODIOLA ROSEA

Ingredient Overview

Rhodiola extends lifespan in different species. Substances in Rhodiola, like salidroside, have shown to support nerve regeneration in animals, normal sirtuin and AMPK function in human cells, and help the body to manage senescent cells.

A Detailed Look

Rhodiola rosea is a small plant that grows in cold regions of Europe and Asia. It has been known for centuries as an adaptogen, which is a substance that improves stress resilience and provides extra mental and physical energy. In humans, Rhodiola rosea can support mental and physical energy levels [111]–[114].

Rhodiola rosea has shown to extend lifespan in multiple organisms, such as fruit flies [115]–[118], yeast [119], and *C elegans* worms [120]. Other studies show that combining Rhodiola rosea with other longevity interventions could be particularly beneficial. For example, researchers found that combining Rhodiola rosea with dietary restriction in fruit flies led to a maximum lifespan exceeding 120 days, which is significant, given that the average lifespan of fruit flies is about 40 days.

Previously, it was thought that the longevity effect of Rhodiola rosea was caused by increasing antioxidant defense mechanisms. However, Rhodiola rosea can provide protection against oxidative stress at doses that are considerably lower than the ones to induce the cells to activate antioxidant defenses [121].

Specific substances in Rhodiola rosea, such as salidroside and rosavin, have demonstrated interesting health effects. In human cells, salidroside could improve vascular health at a cellular level, for example by supporting normal sirtuin and AMPK function and helping the body to manage senescent cells [122]–[124].

Studies found that Rhodiola rosea can improve memory and learning [112], [125].

MAGNESIUM MALATE

Ingredient Overview

People who supplement with magnesium have shown to have less DNA damage. Magnesium supports a healthy metabolism and targets inflammation at the cellular level.

Malate is a natural substance found in apples which has shown to extend lifespan in organisms. Malate can support healthy energy levels in humans.

A Detailed Look

Magnesium is a crucial mineral in the human body. Magnesium helps hundreds of different enzymes and proteins to function properly. Magnesium regulates the excitation and inhibition of cells, and plays an important role in muscle function, including the heart muscle.

Given the role of magnesium in a myriad of cellular processes, it should not be surprising that magnesium deficiency leads to accelerated aging. Magnesium is needed to maintain and repair DNA [126]–[128]. Giving humans extra magnesium helps to maintain their DNA [129]. For example, magnesium sticks to the DNA strand and helps to stabilize it, and it is also an essential cofactor for DNA repair proteins that need magnesium to function properly [128].

Magnesium can target inflammation at the cellular level [130], [131]. Magnesium can also improve healthy metabolism in humans [131], [132]. Besides magnesium's many effects on maintaining our cells, the mineral has various immediately noticeable effects. Athletes take magnesium to improve their physical performance, even when they are not magnesium-deficient [133]. Magnesium supplements can also support healthy sleep, and feelings of relaxation and wellbeing. This is not surprising, given the important role of magnesium in the functioning of brain cells, such as excitation and neuronal metabolism.

Malate is a natural molecule found in plants and in our bodies. Malate is present in high concentrations in apples; it gives apples their particular sour taste. Malate is an important substance used by our mitochondria, the power plants of our cells. Mitochondria convert sugars, fats and amino-acids into energy. This energy enables our cells to function. During this energy production process, malate is created.

Malate can extend lifespan in simple organisms [134], [135]. It does this by improving healthy mitochondrial functioning [136]. Malate can also improve antioxidant function in animals, by increasing the amount of important antioxidant enzymes, such as glutathione peroxidase and superoxide dismutase [137], [138].

Malate is often used in combination with magnesium to bring about health benefits, especially for improving energy and reducing fatigue.



HYALURONIC ACID (AND ACETYL-GLUCOSAMINE)

Ingredient Overview

Hyaluronic acid can reduce the appearance of wrinkles when taken orally. A component of hyaluronic acid, acetyl-glucosamine, has shown to extend lifespan in animals.

A Detailed Look

Hyaluronic acid is an important building block of our skin. Roughly half of all the hyaluronic acid in our body is in our skin. During aging, hyaluronic acid levels in the skin decline [139]. A 70 year old person has 75 percent less hyaluronic acid than a 19-year-old.

Hyaluronic acid, when taken orally, can improve skin health and reduce the appearance of wrinkles. Oral ingestion of hyaluronic acid can increase the amount of hyaluronic acid in the skin [140]–[142]. Supplementing with hyaluronic acid improves skin appearance and reduces wrinkles.

In one study, sixty people were given hyaluronic acid for 3 months. After 8 weeks, they had significantly reduced wrinkles compared to the placebo group, while skin suppleness and skin radiance also significantly improved [143]. Orally-taken hyaluronic acid can also moisturize dry skin, leading to an improved, more youthful skin appearance and making people look younger [144].

Hyaluronic acid is often used in skin creams to improve skin health. Unfortunately, most of the hyaluronic acid that is applied on the skin does not penetrate the skin [145]. Therefore, hyaluronic acid in skin creams mainly increases moisturisation of the very superficial layers of the skin, given this molecule can attract and trap lots of water. It's more interesting to take hyaluronic acid orally, as the hyaluronic acid is broken down in the gut and parts of it enter the bloodstream, where they signal to the cells to increase hyaluronic production.

Besides reducing wrinkles, hyaluronic acid can impact longevity directly. Hyaluronic acid is made up of specific molecules like acetyl-glucosamine. Acetyl-glucosamine has been shown to extend lifespan in various lab organisms [146]. Acetyl-glucosamine should not be confused with glucosamine, which has lifespan effects on its own via other mechanisms.

Scientists believe that acetyl-glucosamine can extend lifespan by supporting a healthy unfolded-protein response (UPR)[146]. The UPR kicks into action to support proper protein recycling and autophagy. These processes play an important role in aging.

By adding hyaluronic acid to our NOVOS Core longevity supplement, we can hit two birds with one stone: hyaluronic acid reduces the appearance of aging-related wrinkles, and its components can impact cellular aging.

THEANINE

Ingredient Overview

Theanine is one of the substances responsible for the healthy effects of green tea. Theanine can extend lifespan in different organisms. It can upregulate aging-protective proteins, like FOXO1 and antioxidative enzymes and can help the body to manage crosslinks.

A Detailed Look

L-Theanine is a substance found in green tea. It's one of the reasons why green tea is healthy.

L-theanine can extend lifespan in different organisms [147]–[149]. L-theanine upregulates important aging-protective proteins, like FOXO1 and antioxidative enzymes. Theanine can also help the body to manage advanced glycation end products (AGEs) [149]. AGEs are cross-links made of sugar molecules that link different proteins. AGEs “glue” proteins together. This makes tissues more rigid, contributing to aging. For example, crosslinking of collagen and elastin proteins in the skin and blood vessels makes these tissues less elastic, contributing to wrinkles and less flexible arteries. More specifically, theanine can help the body to manage cross-links by using its free amino group to compete with proteins for the Maillard reaction of sugars, among other mechanisms [150].

In various animal studies, theanine can support brain cells to deal with cellular stress [151]–[154], and improve the health of the blood vessels [155]–[157]. This is interesting, given regular green tea consumption is known for its beneficial effects on the blood vessels. Theanine can enhance alpha wave activity in the brain which can help people to better focus. It can also support relaxation [158]–[160].



VITAMIN C

Ingredient Overview

Vitamin C can help to maintain a proper epigenome, especially in combination with another longevity ingredient, alpha-ketoglutarate.

A Detailed Look

Most people know vitamin C as an antioxidant. However, vitamin C can beneficially impact aging in many other ways. For example, vitamin C can support a healthy epigenome. The epigenome is the molecular machinery that determines which genes are switched on or off. When we get older, the epigenome becomes more dysregulated.

Substances like vitamin C can impact the epigenome in many ways. For example, vitamin C works together with alpha-ketoglutarate (another ingredient in NOVOS Core) to help to maintain the epigenome. More specifically, vitamin C and alpha-ketoglutarate support the functioning of TET enzymes, which are important modulators of the epigenome, impacting stem cell health, and supporting proper methylation in general [88], [161], [162].

Vitamin C also helps alpha-ketoglutarate-dependent dioxygenase enzymes to support healthy metabolism and DNA repair [163], [164].

Additionally, vitamin C can help to reprogram differentiated cells (e.g. skin cells or liver cells) into stem cells, and this by its epigenetic effects [161].

Vitamin C has many other effects besides impacting the epigenome. For example, vitamin C can also support autophagy [165], [166], which is the process that recycles proteins. Proper protein recycling and autophagy (the digestion of proteins) play an important role in healthy aging.

In other words, vitamin C is much more than just an antioxidant. In fact, given that studies have shown that antioxidants don't extend lifespan, the health benefits of vitamin C are likely exerted via other mechanisms than antioxidant function, such as epigenetic and autophagy mechanisms.

GINGER

Ingredient Overview

Ginger can protect cells against damage and has various longevity-promoting effects. In humans, ginger can target inflammaging at a cellular level, can help to maintain proper glucose levels and support a healthy metabolism, and help to mitigate oxidative damage in cells

A Detailed Look

Ginger is a culinary spice used for millennia across the world. Ginger has various other beneficial effects on the aging process. In humans, ginger can target inflammaging at a cellular level [167], help to maintain proper glucose levels, support a healthy metabolism [168]–[171], and mitigate oxidative damage in cells [172]. Ginger can also improve healthy cognitive function according to various studies [173], [174]. For example, in a study with 60 middle-aged women, the women that received ginger for two months showed improved attention and better cognitive processing [175]. Attention, thinking speed and memory improved in another study [176].

Ginger has been shown to extend lifespan in organisms like fruit flies [177]. Specific components in ginger, like gingerol, extend lifespan in *C. elegans* worms, and bring about various longevity-promoting effects [178]. For example, stress resistance was increased, while lipofuscin clearance was improved. Lipofuscin is called the “aging pigment”: it accumulates during aging until it’s so ubiquitous it hinders the functioning of cells, especially in long-lived cells like neurons.

Ginger can protect cells against damage. Not just damage caused by aging, but even against very serious damage, like that caused by very high doses of radiation [179], [180]. Scientists believe that ginger reduced mortality in irradiated mice by virtue of its free radical scavenging capabilities, and by reducing lipid oxidation. Free radical scavenging means that ginger can capture free radicals, which arise in high amounts by the radioactive beams hitting the components of cells, such as DNA. Ginger also induces the production of powerful antioxidant enzymes, like superoxide dismutase and catalase.

The specific forms of damage caused by radiation also happen during the aging process, albeit at far lower levels and much more gradually. During aging, further oxidation of lipids, DNA and cell constituents occurs. Also, our own cellular antioxidant defense mechanisms decline, such as levels of the antioxidant enzymes superoxide dismutase and catalase.

In conclusion, ginger has two interesting advantages: in the long term, ginger can protect the body against damage caused by aging via various mechanisms, while in the short term it can improve healthy cognitive function.



NICOTINAMIDE MONONUCLEOTIDE (NMN)

Ingredient Overview

In humans, nicotinamide mononucleotide (NMN) increases levels of NAD⁺, which is needed for proper DNA repair and to maintain the epigenome. NMN has shown to support a healthy metabolism in humans, and improve muscle strength and performance in the elderly. In animals, NMN slows down various aging processes.

A Detailed Look

NMN is a natural substance found in fruits, milk and vegetables. In our body, NMN is converted into NAD⁺, the fuel that many important proteins need to maintain the epigenome, DNA, and carry out many other functions in our cells.

NAD⁺ is needed for sirtuins to work properly. Sirtuins are molecules that help to maintain a healthy epigenome. The epigenome regulates which genes are switched on or off. As time passes, the epigenome becomes more dysregulated, which contributes to aging.

NAD⁺ is also needed for important enzymes that help to maintain the DNA, such as poly (ADP-ribose) polymerase (PARPs). Without enough NAD⁺, DNA repair occurs suboptimally, which can accelerate aging and lead to many other problems.

In animals, NMN can support healthy aging, by improving healthy metabolism, stem cell function [181]–[183], and proper cellular function in general [184]–[188].

In overweight women, NMN supported healthy glucose and insulin metabolism [189]. In healthy elderly men, NMN increased NAD⁺ levels and improved muscle strength and performance [190]. In healthy amateur runners, NMN improved aerobic capacity [191].

Recent studies show that NMN is likely the best NAD⁺ booster to impact aging. For example, NMN is more stable in the gut and bloodstream, and can increase NAD⁺ levels without inhibiting sirtuins, unlike another NAD⁺ booster, nicotinamide riboside (NR) which is quickly and almost completely degraded into nicotinamide [192]. That's why acclaimed longevity specialists, like Harvard Professor David Sinclair, take NMN and not NR.

CONCLUSION

Launched in 2020, NOVOS is the essential longevity nutraceutical made for unlocking the healthiest, longest lifespan possible. Based on pioneering research and formulated by world-renowned scientists, our products target and slow down the twelve root causes of aging. We're on a mission to make the latest scientific advances in longevity accessible and achievable for all.

Contact Information

novoslabs.com
@novoslabs
care@novoslabs.com



REFERENCES

For the full list of 300+ scientific studies behind ingredients in NOVOS solutions visit:

<https://novoslabs.com/scientific-evidence-behind-novos/>

- [1] Y. Ding et al., "Plasma Glycine and Risk of Acute Myocardial Infarction in Patients With Suspected Stable Angina Pectoris," *J Am Heart Assoc*, vol. 5, no. 1, p. e002621, Dec. 2015, doi: 10.1161/JAHA.115.002621.
- [2] M. Cruz et al., "Glycine treatment decreases proinflammatory cytokines and increases interferon- γ in patients with Type 2 diabetes," *J Endocrinol Invest*, vol. 31, no. 8, pp. 694–699, Aug. 2008, doi: 10.1007/BF03346417.
- [3] F. L. Xu, H. B. You, X. H. Li, X. F. Chen, Z. J. Liu, and J. P. Gong, "Glycine attenuates endotoxin-induced liver injury by downregulating TLR4 signaling in Kupffer cells," *Am J Surg*, vol. 196, no. 1, pp. 139–148, Jul. 2008, doi: 10.1016/j.amjsurg.2007.09.045.
- [4] K. Ikejima, Y. Iimuro, D. T. Forman, and R. G. Thurman, "A diet containing glycine improves survival in endotoxin shock in the rat," *Am J Physiol*, vol. 271, no. 1 Pt 1, pp. G97–103, Jul. 1996, doi: 10.1152/ajpgi.1996.271.1.G97.
- [5] M. C. Gannon, J. A. Nuttall, and F. Q. Nuttall, "The metabolic response to ingested glycine," *Am J Clin Nutr*, vol. 76, no. 6, pp. 1302–1307, Dec. 2002, doi: 10.1093/ajcn/76.6.1302.
- [6] S. File, E. Fluck, and C. Fernandes, "Beneficial Effects of Glycine (Bioglycin) on Memory and Attention in Young and Middle-Aged Adults," *Journal of clinical psychopharmacology*, vol. 19, pp. 506–12, Jan. 2000, doi: 10.1097/00004714-199912000-00004.
- [7] M. Bannai, N. Kawai, K. Ono, K. Nakahara, and N. Murakami, "The effects of glycine on subjective daytime performance in partially sleep-restricted healthy volunteers," *Sleep Neurol*, vol. 3, p. 61, 2012, doi: 10.3389/fneur.2012.00061.
- [8] K. Inagawa, T. Hiraoka, T. Kohda, W. Yamadera, and M. Takahashi, "Subjective effects of glycine ingestion before bedtime on sleep quality," *Sleep and Biological Rhythms*, vol. 4, no. 1, pp. 75–77, 2006, doi: 10.1111/j.1479-8425.2006.00193.x.
- [9] W. Yamadera, K. Inagawa, S. Chiba, M. Bannai, M. Takahashi, and K. Nakayama, "Glycine ingestion improves subjective sleep quality in human volunteers, correlating with polysomnographic changes," *Sleep and Biological Rhythms*, vol. 5, no. 2, pp. 126–131, 2007, doi: 10.1111/j.1479-8425.2007.00262.x.
- [10] R. Koopman, M. K. Caldwell, D. J. Ham, and G. S. Lynch, "Glycine metabolism in skeletal muscle: implications for metabolic homeostasis," *Current Opinion in Clinical Nutrition & Metabolic Care*, vol. 20, no. 4, pp. 237–242, Jul. 2017, doi: 10.1097/MCO.0000000000000383.
- [11] R. V. Sekhar et al., "Deficient synthesis of glutathione underlies oxidative stress in aging and can be corrected by dietary cysteine and glycine supplementation," *Am J Clin Nutr*, vol. 94, no. 3, pp. 847–853, Sep. 2011, doi: 10.3945/ajcn.110.003483.
- [12] P. de Paz-Lugo, J. A. Lupiáñez, and E. Meléndez-Hevia, "High glycine concentration increases collagen synthesis by articular chondrocytes in vitro: acute glycine deficiency could be an important cause of osteoarthritis," *Amino Acids*, vol. 50, no. 10, pp. 1357–1365, 2018, doi: 10.1007/s00726-018-2611-x.
- [13] University of Tsukuba, "Scientists reverse aging in human cell lines and give theory of aging a new lease of life," *ScienceDaily*, May 26, 2015, <https://www.sciencedaily.com/releases/2015/05/150526085138.htm>
- [14] O. Hashizume et al., "Epigenetic regulation of the nuclear-coded GCAT and SHMT2 genes confers human age-associated mitochondrial respiration defects," *Sci Rep*, vol. 5, no. 1, pp. 1–11, May 2015, doi: 10.1038/srep10434.
- [15] J. Brind et al., "Dietary glycine supplementation mimics lifespan extension by dietary methionine restriction in Fisher 344 rats," *The FASEB Journal*, vol. 25, no. S1, p. 528.2-528.2, 2011, doi: 10.1096/fasebj.25.1_supplement.528.2.
- [16] R. A. Miller et al., "Glycine supplementation extends lifespan of male and female mice," *Aging Cell*, vol. 18, no. 3, p. e12953, Jun. 2019, doi: 10.1111/acel.12953.
- [17] F. Obata and M. Miura, "Enhancing S-adenosyl-methionine catabolism extends *Drosophila* lifespan," *Nat Commun*, vol. 6, no. 1, p. 8332, Sep. 2015, doi: 10.1038/ncomms9332.
- [18] T. Shintani, Y. Kosuge, and H. Ashida, "Glucosamine Extends the Lifespan of *Caenorhabditis elegans* via Autophagy Induction," *Journal of Applied Glycoscience*, vol. 65, no. 3, pp. 37–43, 2018, doi: 10.5458/jag.jag.JAG-2018_002.
- [19] A. Ruiz-Ramírez, E. Ortiz-Balderas, G. Cardozo-Saldaña, E. Diaz-Diaz, and M. El-Hafidi, "Glycine restores glutathione and protects against oxidative stress in vascular tissue from sucrose-fed rats," *Clin Sci*, vol. 126, no. 1, pp. 19–29, Jan. 2014, doi: 10.1042/CS20130164.
- [20] F. Bahmani, S. Z. Bathaie, S. J. Aldavood, and A. Ghahghaei, "Glycine therapy inhibits the progression of cataract in streptozotocin-induced diabetic rats," *Mol Vis*, vol. 18, pp. 439–448, 2012.
- [21] S. Ramakrishnan and K. N. Sulochana, "Decrease in glycation of lens proteins by lysine and glycine by scavenging of glucose and possible mitigation of cataractogenesis," *Exp Eye Res*, vol. 57, no. 5, pp. 623–628, Nov. 1993, doi: 10.1006/exer.1993.1167.
- [22] G. A. BELL, E. D. KANTOR, J. W. LAMPE, D. D. SHEN, AND E. WHITE, "USE OF GLUCOSAMINE AND CHONDROITIN IN RELATION TO MORTALITY," *EUR J EPIDEMIOL*, VOL. 27, NO. 8, PP. 593–603, AUG. 2012, DOI: 10.1007/S10654-012-9714-6.
- [23] G. POCOBELLI ET AL., "TOTAL MORTALITY RISK IN RELATION TO USE OF LESS-COMMON DIETARY SUPPLEMENTS¹²³," *AM J CLIN NUTR*, VOL. 91, NO. 6, PP. 1791–1800, JUN. 2010, DOI: 10.3945/AJCN.2009.28639.
- [24] H. MA ET AL., "ASSOCIATION OF HABITUAL GLUCOSAMINE USE WITH RISK OF CARDIOVASCULAR DISEASE: PROSPECTIVE STUDY IN UK BIOBANK," *BMJ*, VOL. 365, P. L1628, MAY 2019, DOI: 10.1136/BMJ.L1628.
- [25] E. D. KANTOR, J. W. LAMPE, T. L. VAUGHAN, U. PETERS, C. D. REHM, AND E. WHITE, "ASSOCIATION BETWEEN USE OF SPECIALTY DIETARY SUPPLEMENTS AND C-REACTIVE PROTEIN CONCENTRATIONS," *AMERICAN JOURNAL OF EPIDEMIOLOGY*, VOL. 176, NO. 11, PP. 1002–1013, DEC. 2012, DOI: 10.1093/AJE/KWS186.
- [26] S. WEIMER ET AL., "D-GLUCOSAMINE SUPPLEMENTATION EXTENDS LIFE SPAN OF NEMATODES AND OF AGEING MICE," *NAT COMMUN*, VOL. 5, NO. 1, P. 3563, APR. 2014, DOI: 10.1038/NCOMMS4563.
- [27] K. JAMIALAHMADI, F. SOLTANI, M. NABAVI FARD, J. BEHRAVAN, AND F. MOSAFFA, "ASSESSMENT OF PROTECTIVE EFFECTS OF GLUCOSAMINE AND N-ACETYL GLUCOSAMINE AGAINST DNA DAMAGE INDUCED BY HYDROGEN PEROXIDE IN HUMAN LYMPHOCYTES," *DRUG CHEM TOXICOL*, VOL. 37, NO. 4, PP. 427–432, OCT. 2014, DOI: 10.3109/01480545.2013.878951.
- [28] C. FANG, M. PENG, G. LI, J. TIAN, AND D. YIN, "NEW FUNCTIONS OF GLUCOSAMINE AS A SCAVENGER OF THE LIPID PEROXIDATION PRODUCT MALONDIALDEHYDE," *CHEM RES TOXICOL*, VOL. 20, NO. 6, PP. 947–953, JUN. 2007, DOI: 10.1021/TX700059B.
- [29] Y.-J. CHEN ET AL., "PROTECTIVE EFFECTS OF GLUCOSAMINE ON OXIDATIVE-STRESS AND ISCHEMIA/REPERFUSION-INDUCED RETINAL INJURY," *INVESTIGATIVE OPHTHALMOLOGY & VISUAL SCIENCE*, VOL. 56, NO. 3, PP. 1506–1516, MAR. 2015, DOI: 10.1167/IOVS.14-15726.
- [30] C. VALVASON, E. MUSACCHIO, A. POZZUOLI, R. RAMONDA, R. ALDEGHERI, AND L. PUNZI, "INFLUENCE OF GLUCOSAMINE SULPHATE ON OXIDATIVE STRESS IN HUMAN OSTEOARTHRITIC CHONDROCYTES: EFFECTS ON HO-1, P22(PHOX) AND INOS EXPRESSION," *RHEUMATOLOGY (OXFORD)*, VOL. 47, NO. 1, PP. 31–35, JAN. 2008, DOI: 10.1093/RHEUMATOLOGY/KEM289.
- [31] T. SHINTANI ET AL., "GLUCOSAMINE INDUCES AUTOPHAGY VIA AN MTOR-INDEPENDENT PATHWAY," *BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS*, VOL. 391, NO. 4, PP. 1775–1779, JAN. 2010, DOI: 10.1016/J.BBRC.2009.12.154.
- [32] D. L. BISSETT, "GLUCOSAMINE: AN INGREDIENT WITH SKIN AND OTHER BENEFITS," *J COSMET DERMATOL*, VOL. 5, NO. 4, PP. 309–315, DEC. 2006, DOI: 10.1111/J.1473-2165.2006.00277.X.
- [33] A. GUENICHE AND I. CASTIEL-HIGOUNENC, "EFFICACY OF GLUCOSAMINE SULPHATE IN SKIN AGEING: RESULTS FROM AN EX VIVO ANTI-AGEING MODEL AND A CLINICAL TRIAL," *SPP*, VOL. 30, NO. 1, PP. 36–41, 2017, DOI: 10.1159/000450832.
- [34] A. FARSAD-NAEIMI, M. ALIZADEH, A. ESFAHANI, AND E. D. AMINABAD, "EFFECT OF Fisetin SUPPLEMENTATION ON INFLAMMATORY FACTORS AND MATRIX METALLOPROTEINASE ENZYMES IN COLORECTAL CANCER PATIENTS," *FOOD FUNCT*, VOL. 9, NO. 4, PP. 2025–2031, APR. 2018, DOI: 10.1039/C7F001898C.
- [35] M. J. YOUSEFZADEH ET AL., "Fisetin IS A SENOTHERAPEUTIC THAT EXTENDS HEALTH AND LIFESPAN," *EBIOMEDICINE*, VOL. 36, PP. 18–28, OCT. 2018, DOI: 10.1016/J.EBIOM.2018.09.015.
- [36] A. CURRAIS ET AL., "Fisetin REDUCES THE IMPACT OF AGING ON BEHAVIOR AND PHYSIOLOGY IN THE RAPIDLY AGING SAMP8 MOUSE," *J GERONTOL A BIOL SCI MED SCI*, VOL. 73, NO. 3, PP. 299–307, MAR. 2018, DOI: 10.1093/GERONA/GLX104.
- [37] D. N. SYED, V. M. ADHAMI, M. I. KHAN, AND H. MUKHTAR, "INHIBITION OF AKT/MTOR SIGNALING BY THE DIETARY FLAVONOID Fisetin," *ANTICANCER AGENTS MED CHEM*, VOL. 13, NO. 7, PP. 995–1001, SEP. 2013.

REFERENCES

- [38] N. Khan, D. N. Syed, N. Ahmad, and H. Mukhtar, "Fisetin: A Dietary Antioxidant for Health Promotion," *Antioxid Redox Signal*, vol. 19, no. 2, pp. 151–162, Jul. 2013, doi: 10.1089/ars.2012.4901.
- [39] S. Kwak, S.-K. Ku, and J.-S. Bae, "Fisetin inhibits high-glucose-induced vascular inflammation *in vitro* and *in vivo*," *Inflamm. Res.*, vol. 63, no. 9, pp. 779–787, Sep. 2014, doi: 10.1007/s00011-014-0750-4.
- [40] C. D. Sadik, H. Sies, and T. Schewe, "Inhibition of 15-lipoxygenases by flavonoids: structure-activity relations and mode of action," *Biochem Pharmacol*, vol. 65, no. 5, pp. 773–781, Mar. 2003, doi: 10.1016/s0006-2952(02)01621-0.
- [41] B. D. Sahu et al., "Ameliorative Effect of Fisetin on Cisplatin-Induced Nephrotoxicity in Rats via Modulation of NF- κ B Activation and Antioxidant Defence," *PLOS ONE*, vol. 9, no. 9, p. e105070, Sep. 2014, doi: 10.1371/journal.pone.0105070.
- [42] W. Lu, J. Zhu, S. Zou, X. Li, and J. Huang, "The efficient expression of human fibroblast collagenase in *Escherichia coli* and the discovery of flavonoid inhibitors," *J Enzyme Inhib Med Chem*, vol. 28, no. 4, pp. 741–746, Aug. 2013, doi: 10.3109/14756366.2012.681650.
- [43] J. H. Park et al., "Fisetin inhibits matrix metalloproteinases and reduces tumor cell invasiveness and endothelial cell tube formation," *Nutr Cancer*, vol. 65, no. 8, pp. 1192–1199, 2013, doi: 10.1080/01635581.2013.828090.
- [44] W.-B. He, K. Abe, and T. Akaishi, "Oral administration of fisetin promotes the induction of hippocampal long-term potentiation *in vivo*," *J Pharmacol Sci*, vol. 136, no. 1, pp. 42–45, Jan. 2018, doi: 10.1016/j.jphs.2017.12.008.
- [45] P. Maher, "Fisetin Acts on Multiple Pathways to Reduce the Impact of Age and Disease on CNS Function," *Front Biosci*, vol. 7, pp. 58–82, Jun. 2015.
- [46] P. Maher, "Preventing and Treating Neurological Disorders with the Flavonol Fisetin," *Brain Plasticity*, vol. 6, no. 2, pp. 155–166, Jan. 2020, doi: 10.3233/BPL-200104.
- [47] P. Maher, T. Akaishi, and K. Abe, "Flavonoid fisetin promotes ERK-dependent long-term potentiation and enhances memory," *Proc Natl Acad Sci USA*, vol. 103, no. 44, pp. 16568–16573, Oct. 2006, doi: 10.1073/pnas.0607822103.
- [48] V. A. Fajardo, V. A. Fajardo, P. J. LeBlanc, and R. E. K. MacPherson, "Examining the Relationship between Trace Lithium in Drinking Water and the Rising Rates of Age-Adjusted Alzheimer's Disease Mortality in Texas," *J Alzheimers Dis*, vol. 61, no. 1, pp. 425–434, 2018, doi: 10.3233/JAD-170744.
- [49] V. A. Fajardo, P. J. LeBlanc, and V. A. Fajardo, "Trace lithium in Texas tap water is negatively associated with all-cause mortality and premature death," *Appl Physiol Nutr Metab*, vol. 43, no. 4, pp. 412–414, Apr. 2018, doi: 10.1139/apnm-2017-0653.
- [50] K. Zarse, T. Terao, J. Tian, N. Iwata, N. Ishii, and M. Ristow, "Low-dose lithium uptake promotes longevity in humans and metazoans," *Eur J Nutr*, vol. 50, no. 5, pp. 387–389, Aug. 2011, doi: 10.1007/s00394-011-0171-x.
- [51] J. I. Castillo-Quan et al., "Lithium Promotes Longevity through GSK3/NRF2-Dependent Hormesis," *Cell Rep*, vol. 15, no. 3, pp. 638–650, Apr. 2016, doi: 10.1016/j.celrep.2016.03.041.
- [52] G. McColl, D. W. Killilea, A. E. Hubbard, M. C. Vantipalli, S. Melov, and G. J. Lithgow, "Pharmacogenetic Analysis of Lithium-induced Delayed Aging in *Caenorhabditis elegans*," *Journal of Biological Chemistry*, vol. 283, no. 1, pp. 305–357, Jan. 2008, doi: 10.1074/jbc.M705028200.
- [53] Z. Y. Tam, J. Gruber, L. F. Ng, B. Halliwell, and R. Gunawan, "Effects of Lithium on Age-related Decline in Mitochondrial Turnover and Function in *Caenorhabditis elegans*," *The Journals of Gerontology: Series A*, vol. 69, no. 7, pp. 810–820, Jul. 2014, doi: 10.1093/gerona/glt210.
- [54] B. Ahrens, P. Grof, H.-J. Möller, B. Müller-Oerlinghausen, and T. Wolf, "Extended Survival of Patients on Long-Term Lithium Treatment," *Can J Psychiatry*, vol. 40, no. 5, pp. 241–246, Jun. 1995, doi: 10.1177/070674379504000504.
- [55] A. Cipriani, H. Pretty, K. Hawton, and J. R. Geddes, "Lithium in the prevention of suicidal behavior and all-cause mortality in patients with mood disorders: a systematic review of randomized trials," *Am J Psychiatry*, vol. 162, no. 10, pp. 1805–1819, Oct. 2005, doi: 10.1176/appi.ajp.162.10.1805.
- [56] O. V. Forlenza, B. S. Diniz, M. Radanovic, F. S. Santos, L. L. Talib, and W. F. Gattaz, "Disease-modifying properties of long-term lithium treatment for amnesic mild cognitive impairment: randomised controlled trial," *Br J Psychiatry*, vol. 198, no. 5, pp. 351–356, May 2011, doi: 10.1192/bjp.bp.110.080044.
- [57] O. V. Forlenza, M. Radanovic, L. L. Talib, and W. F. Gattaz, "Clinical and biological effects of long-term lithium treatment in older adults with amnesic mild cognitive impairment: randomised clinical trial," *Br J Psychiatry*, vol. 215, no. 5, pp. 668–674, Nov. 2019, doi: 10.1192/bjp.2019.76.
- [58] S. Matsunaga, T. Kishi, P. Annas, H. Basun, H. Hampel, and N. Iwata, "Lithium as a Treatment for Alzheimer's Disease: A Systematic Review and Meta-Analysis," *J Alzheimers Dis*, vol. 48, no. 2, pp. 403–410, 2015, doi: 10.3233/JAD-150437.
- [59] M. A. NUNES, T. A. VIEL, AND H. S. BUCK, "MICRODOSE LITHIUM TREATMENT STABILIZED COGNITIVE IMPAIRMENT IN PATIENTS WITH ALZHEIMER'S DISEASE," *CURR ALZHEIMER RES*, VOL. 10, NO. 1, PP. 104–107, JAN. 2013, DOI: 10.2174/1567205011310010014.
- [60] T. ASAI ET AL., "EFFECT OF MOOD STABILIZERS ON DNA METHYLATION IN HUMAN NEUROBLASTOMA CELLS," *INT J NEUROPSYCHOPHARMACOL*, VOL. 16, NO. 10, PP. 2285–2294, NOV. 2013, DOI: 10.1017/S1461145713000710.
- [61] A. S. ZANNAS, "LITHIUM TREATMENT AND MECHANISMS OF AGING," *MOLECULAR PSYCHIATRY*, VOL. 23, NO. 11, PP. 2112–2113, NOV. 2018, DOI: 10.1038/S41380-018-0024-6.
- [62] T. LEYHE ET AL., "INCREASE OF BDNF SERUM CONCENTRATION IN LITHIUM TREATED PATIENTS WITH EARLY ALZHEIMER'S DISEASE," *J ALZHEIMERS DIS*, VOL. 16, NO. 3, PP. 649–656, 2009, DOI: 10.3233/JAD-2009-1004.
- [63] G. STRATEN ET AL., "INFLUENCE OF LITHIUM TREATMENT ON GDNF SERUM AND CSF CONCENTRATIONS IN PATIENTS WITH EARLY ALZHEIMER'S DISEASE," *CURR ALZHEIMER RES*, VOL. 8, NO. 8, PP. 853–859, DEC. 2011, DOI: 10.2174/156720511798192754.
- [64] Z. TUNCA ET AL., "ALTERATIONS IN BDNF (BRAIN DERIVED NEUROTROPHIC FACTOR) AND GDNF (GLIAL CELL LINE-DERIVED NEUROTROPHIC FACTOR) SERUM LEVELS IN BIPOLAR DISORDER: THE ROLE OF LITHIUM," *J AFFECT DISORD*, VOL. 166, PP. 193–200, SEP. 2014, DOI: 10.1016/J.JAD.2014.05.012.
- [65] E. BEUREL AND R. S. JOPE, "INFLAMMATION AND LITHIUM: CLUES TO MECHANISMS CONTRIBUTING TO SUICIDE-LINKED TRAITS," *TRANSL PSYCHIATRY*, VOL. 4, NO. 12, PP. E488–E488, DEC. 2014, DOI: 10.1038/TP.2014.129.
- [66] A. NASSAR AND A. N. AZAB, "EFFECTS OF LITHIUM ON INFLAMMATION," *ACS CHEM NEUROSCI*, VOL. 5, NO. 6, PP. 451–458, APR. 2014, DOI: 10.1021/CN500038F.
- [67] M. TORICELLI, S. R. EVANGELISTA, H. S. BUCK, AND T. A. VIEL, "MICRODOSE LITHIUM TREATMENT REDUCED INFLAMMATORY FACTORS AND NEURODEGENERATION IN ORGANOTYPIC HIPPOCAMPAL CULTURE OF OLD SAMP-8 MICE," *CELL MOL NEUROBIOL*, VOL. 41, NO. 7, PP. 1509–1520, OCT. 2021, DOI: 10.1007/S10571-020-00916-0.
- [68] T. VIEL, S. CHINTA, A. RANE, M. CHAMOLI, H. BUCK, AND J. ANDERSEN, "MICRODOSE LITHIUM REDUCES CELLULAR SENESCENCE IN HUMAN ASTROCYTES - A POTENTIAL PHARMACOTHERAPY FOR COVID-19?," *AGING*, VOL. 12, NO. 11, PP. 10035–10040, JUN. 2020.
- [69] Y. MOTOI, K. SHIMADA, K. ISHIGURO, AND N. HATTORI, "LITHIUM AND AUTOPHAGY," *ACS CHEM NEUROSCI*, VOL. 5, NO. 6, PP. 434–442, APR. 2014, DOI: 10.1021/CN500056Q.
- [70] F. A. COUTTS ET AL., "THE POLYGENIC NATURE OF TELOMERE LENGTH AND THE ANTI-AGEING PROPERTIES OF LITHIUM," *NEUROPSYCHOPHARMACOLOGY*, VOL. 44, NO. 4, PP. 757–765, MAR. 2019, DOI: 10.1038/S41386-018-0289-0.
- [71] M. LUNDBERG ET AL., "EXPRESSION OF TELOMERASE REVERSE TRANSCRIPTASE POSITIVELY CORRELATES WITH DURATION OF LITHIUM TREATMENT IN BIPOLAR DISORDER," *PSYCHIATRY RES*, VOL. 286, P. 112865, APR. 2020, DOI: 10.1016/J.PSYCHRES.2020.112865.
- [72] C. PISANU ET AL., "DIFFERENCES IN TELOMERE LENGTH BETWEEN PATIENTS WITH BIPOLAR DISORDER AND CONTROLS ARE INFLUENCED BY LITHIUM TREATMENT," *PHARMACOGENOMICS*, VOL. 21, NO. 8, PP. 533–540, JUN. 2020, DOI: 10.2217/PGS-2020-0028.
- [73] A. SQUASSINA ET AL., "LEUKOCYTE TELOMERE LENGTH POSITIVELY CORRELATES WITH DURATION OF LITHIUM TREATMENT IN BIPOLAR DISORDER PATIENTS," *EUR NEUROPSYCHOPHARMACOL*, VOL. 26, NO. 7, PP. 1241–1247, JUL. 2016, DOI: 10.1016/J.EURONEURO.2016.03.020.
- [74] G. N. SCHRAUZER AND E. DE VROEY, "EFFECTS OF NUTRITIONAL LITHIUM SUPPLEMENTATION ON MOOD. A PLACEBO-CONTROLLED STUDY WITH FORMER DRUG USERS," *BIOL TRACE ELEM RES*, VOL. 40, NO. 1, PP. 89–101, JAN. 1994, DOI: 10.1007/BF02916824.
- [75] A. A. SHAHMIRZADI ET AL., "ALPHA-KETOGLUTARATE, AN ENDOGENOUS METABOLITE, EXTENDS LIFESPAN AND COMPRESSES MORBIDITY IN AGING MICE," *CELL METABOLISM*, VOL. 32, NO. 3, PP. 447–456, SEP. 2020, DOI: 10.1016/J.CMET.2020.08.004.



REFERENCES

- [76] R. M. Chin et al., "The metabolite α -ketoglutarate extends lifespan by inhibiting ATP synthase and TOR," *Nature*, vol. 510, no. 7505, pp. 397–401, Jun. 2014, doi: 10.1038/nature13264.
- [77] M. M. Bayliak, M. P. Lylyk, and O. M. Sorochynska, "Dietary alpha-ketoglutarate partially prevents age-related decline in locomotor activity and cold tolerance in *Drosophila melanogaster*," *Biologia*, vol. 72, no. 4, pp. 458–467, Apr. 2017, doi: 10.1515/biolog-2017-0042.
- [78] M. P. Lylyk, M. M. Bayliak, H. V. Shmihel, J. M. Storey, K. B. Storey, and V. I. Lushchak, "Effects of alpha-ketoglutarate on lifespan and functional aging of *Drosophila melanogaster* flies," *Ukr.Biochem.J.*, vol. 90, no. 6, pp. 49–61, Nov. 2018, doi: 10.15407/ubj90.06.049.
- [79] Y. Su et al., "Alpha-ketoglutarate extends *Drosophila* lifespan by inhibiting mTOR and activating AMPK," *Aging*, vol. 11, no. 12, pp. 4183–4197, Jun. 2019, doi: 10.18632/aging.102045.
- [80] B. I. Blomqvist, F. Hammarqvist, A. von der Decken, and J. Wernerman, "Glutamine and alpha-ketoglutarate prevent the decrease in muscle free glutamine concentration and influence protein synthesis after total hip replacement," *Metabolism*, vol. 44, no. 9, pp. 1215–1222, Sep. 1995, doi: 10.1016/0026-0495(95)90019-5.
- [81] F. Hammarqvist, J. Wernerman, A. von der Decken, and E. Vinnars, "Alpha-ketoglutarate preserves protein synthesis and free glutamine in skeletal muscle after surgery," *Surgery*, vol. 109, no. 1, pp. 28–36, Jan. 1991.
- [82] A. Jeppsson et al., "Renal effects of alpha-ketoglutarate early after coronary operations," *Ann Thorac Surg*, vol. 65, no. 3, pp. 684–690, Mar. 1998, doi: 10.1016/s0003-4975(97)01337-4.
- [83] U. Kjellman et al., " α -ketoglutarate for myocardial protection in heart surgery," *The Lancet*, vol. 345, no. 8949, pp. 552–553, Mar. 1995, doi: 10.1016/S0140-6736(95)90466-2.
- [84] J. Wernerman, F. Hammarqvist, and E. Vinnars, "Alpha-ketoglutarate and postoperative muscle catabolism," *Lancet*, vol. 335, no. 8691, pp. 701–703, Mar. 1990, doi: 10.1016/0140-6736(90)90811-i.
- [85] R. S. Filip, S. G. Pierzynowski, B. Lindegard, J. Wernerman, A. Haratym-Maj, and M. Podgurniak, "Alpha-ketoglutarate decreases serum levels of C-terminal cross-linking telopeptide of type I collagen (CTX) in postmenopausal women with osteopenia: six-month study," *Int J Vitam Nutr Res*, vol. 77, no. 2, pp. 89–97, Mar. 2007, doi: 10.1024/0300-9831.77.2.89.
- [86] A. Tocaj, R. Filip, and B. Lindergard, "Alfa ketoglutarate (AKG) inhibit osteoporosis development in postmenopausal women," *J Bone Miner Res*, vol. 18, p. 267, Jan. 2003.
- [87] B. W. Carey, L. W. S. Finley, J. R. Cross, C. D. Allis, and C. B. Thompson, "Intracellular α -ketoglutarate maintains the pluripotency of embryonic stem cells," *Nature*, vol. 518, no. 7539, pp. 413–416, Feb. 2015, doi: 10.1038/nature13981.
- [88] K. A. Tran, C. M. Dillingham, and R. Sridharan, "The role of α -ketoglutarate-dependent proteins in pluripotency acquisition and maintenance," *Journal of Biological Chemistry*, vol. 294, no. 14, pp. 5408–5419, Apr. 2019, doi: 10.1074/jbc.TM118.000831.
- [89] F. E. Pehlivan, "Vitamin C: An Epigenetic Regulator," in *Vitamin C: an Update on Current Uses and Functions*, J. G. LeBlanc, Ed. IntechOpen, 2018, doi: 10.5772/intechopen.82563.
- [90] B. Burja et al., "The Metabolic Intermediate Alpha-Ketoglutarate Suppresses the TGF β -driven Profibrotic Responses of Dermal Fibroblasts [abstract]," *Arthritis Rheumatol.*, vol. 71, no. (suppl 10), Nov. 2019, Accessed: Oct. 29, 2021. [Online]. Available: <https://acrabstracts.org/abstract/the-metabolic-intermediate-alpha-ketoglutarate-suppresses-the-tgf-beta-driven-profibrotic-responses-of-dermal-fibroblasts/>
- [91] E. D. Son, G. H. Choi, H. Kim, B. Lee, I. S. Chang, and J. S. Hwang, "Alpha-ketoglutarate stimulates procollagen production in cultured human dermal fibroblasts, and decreases UVB-induced wrinkle formation following topical application on the dorsal skin of hairless mice," *Biol Pharm Bull*, vol. 30, no. 8, pp. 1395–1399, Aug. 2007, doi: 10.1248/bpb.30.1395.
- [92] J. A. Baur et al., "Resveratrol improves health and survival of mice on a high-calorie diet," *Nature*, vol. 444, no. 7117, pp. 337–342, Nov. 2006, doi: 10.1038/nature05354.
- [93] K. T. Howitz et al., "Small molecule activators of sirtuins extend *Saccharomyces cerevisiae* lifespan," *Nature*, vol. 425, no. 6954, pp. 191–196, Sep. 2003, doi: 10.1038/nature01960.
- [94] T. Liu et al., "Resveratrol Attenuates Oxidative Stress and Extends Life Span in the Annual Fish *Nothobranchius guentheri*," *Rejuvenation Research*, vol. 18, no. 3, pp. 225–233, Jun. 2015, doi: 10.1089/rej.2014.1618.
- [95] B. Rascón, B. P. Hubbard, D. A. Sinclair, and G. V. Amdam, "The lifespan extension effects of resveratrol are conserved in the honey bee and may be driven by a mechanism related to caloric restriction," *Aging*, vol. 4, no. 7, pp. 499–508, Jul. 2012.
- [97] D. McCormack and D. McFadden, "A Review of Pterostilbene Antioxidant Activity and Disease Modification," *Oxidative Medicine and Cellular Longevity*, vol. 2013, Apr. 2013, doi: 10.1155/2013/575482.
- [98] J. Chang et al., "Low-dose pterostilbene, but not resveratrol, is a potent neuromodulator in aging and Alzheimer's disease," *Neurobiology of Aging*, vol. 33, no. 9, pp. 2062–2071, Sep. 2012, doi: 10.1016/j.neurobiolaging.2011.08.015.
- [99] S. Gómez-Zorita et al., "Comparative Effects of Pterostilbene and Its Parent Compound Resveratrol on Oxidative Stress and Inflammation in Steatohepatitis Induced by High-Fat High-Fructose Feeding," *Antioxidants*, vol. 9, no. 11, p. E1042, Oct. 2020, doi: 10.3390/antiox9111042.
- [100] J. Liu et al., "Pterostilbene exerts an anti-inflammatory effect via regulating endoplasmic reticulum stress in endothelial cells," *Cytokine*, vol. 77, pp. 88–97, Jan. 2016, doi: 10.1016/j.cyto.2015.11.006.
- [101] R.-J. Chen et al., "Autophagy-inducing effect of pterostilbene: A prospective therapeutic/preventive option for skin diseases," *Journal of Food and Drug Analysis*, vol. 25, no. 1, pp. 125–133, Jan. 2017, doi: 10.1016/j.jfda.2016.10.022.
- [102] D. Wang, H. Guo, H. Yang, D. Wang, P. Gao, and W. Wei, "Pterostilbene, An Active Constituent of Blueberries, Suppresses Proliferation Potential of Human Cholangiocarcinoma via Enhancing the Autophagic Flux," *Frontiers in Pharmacology*, vol. 10, p. 1238, 2019, doi: 10.3389/fphar.2019.01238.
- [103] L. Zhang, L. Cui, G. Zhou, H. Jing, Y. Guo, and W. Sun, "Pterostilbene, a natural small-molecular compound, promotes cytoprotective macroautophagy in vascular endothelial cells," *J Nutr Biochem*, vol. 24, no. 5, pp. 903–911, May 2013, doi: 10.1016/j.jnutbio.2012.06.008.
- [104] J. Li et al., "Blueberry Component Pterostilbene Protects Corneal Epithelial Cells from Inflammation via Anti-oxidative Pathway," *Sci Rep*, vol. 6, p. 19408, Jan. 2016, doi: 10.1038/srep19408.
- [105] P. Peñalver, S. Zodio, R. Lucas, M. V. de-Paz, and J. C. Morales, "Neuroprotective and Anti-inflammatory Effects of Pterostilbene Metabolites in Human Neuroblastoma SH-SY5Y and RAW 264.7 Macrophage Cells," *J. Agric. Food Chem.*, vol. 68, no. 6, pp. 1609–1620, Feb. 2020, doi: 10.1021/acs.jafc.9b07147.
- [106] T. Yashiro, S. Yura, A. Tobita, Y. Toyoda, K. Kasakura, and C. Nishiyama, "Pterostilbene reduces colonic inflammation by suppressing dendritic cell activation and promoting regulatory T cell development," *The FASEB Journal*, vol. 34, no. 11, pp. 14810–14819, 2020, doi: 10.1096/fj.202001502R.
- [107] Y. Cheng et al., "SIRT1 activation by pterostilbene attenuates the skeletal muscle oxidative stress injury and mitochondrial dysfunction induced by ischemia reperfusion injury," *Apoptosis*, vol. 21, no. 8, pp. 905–916, Aug. 2016, doi: 10.1007/s10495-016-1258-x.
- [108] Y.-R. Li, S. Li, and C.-C. Lin, "Effect of resveratrol and pterostilbene on aging and longevity," *Biofactors*, vol. 44, no. 1, pp. 69–82, Jan. 2018, doi: 10.1002/biof.1400.
- [109] K. Yaku, K. Okabe, and T. Nakagawa, "NAD metabolism: Implications in aging and longevity," *Ageing Res Rev*, vol. 47, pp. 1–17, Nov. 2018, doi: 10.1016/j.arr.2018.05.006.
- [110] Y. Yuan, V. F. Cruzat, P. Newsholme, J. Cheng, Y. Chen, and Y. Lu, "Regulation of SIRT1 in aging: Roles in mitochondrial function and biogenesis," *Mech Ageing Dev*, vol. 155, pp. 10–21, Apr. 2016, doi: 10.1016/j.mad.2016.02.003.
- [111] V. Darbinyan, A. Kteyan, A. Panossian, E. Gabrielian, G. Wikman, and H. Wagner, "Rhodiola rosea in stress induced fatigue—a double blind cross-over study of a standardized extract SHR-5 with a repeated low-dose regimen on the mental performance of healthy physicians during night duty," *Phytomedicine*, vol. 7, no. 5, pp. 365–371, Oct. 2000, doi: 10.1016/S0944-7113(00)80055-0.
- [112] S. K. Hung, R. Perry, and E. Ernst, "The effectiveness and efficacy of *Rhodiola rosea* L.: a systematic review of randomized clinical trials," *Phytomedicine*, vol. 18, no. 4, pp. 235–244, Feb. 2011, doi: 10.1016/j.phymed.2010.08.014.
- [113] Y. Lekontseva, I. Zhukova, and A. Wacker, "Rhodiola rosea in Subjects with Prolonged or Chronic Fatigue Symptoms: Results of an Open-Label Clinical Trial," *CMR*, vol. 24, no. 1, pp. 46–52, 2017, doi: 10.1159/000457918.
- [114] A. Parisi et al., "Effects of chronic *Rhodiola rosea* supplementation on sport performance and antioxidant capacity in trained male: preliminary results," *J Sports Med Phys Fitness*, vol. 50, no. 1, pp. 57–63, Mar. 2010.
- [115] M. Jafari et al., "Rhodiola: a promising anti-aging Chinese herb," *Rejuvenation Res*, vol. 10, no. 4, pp. 587–602, Dec. 2007, doi: 10.1089/rej.2007.0560.
- [116] S. Schriener, V. Coskun, S. Hogan, C. Nguyen, T. Lopez, and M. Jafari, "Extension of *Drosophila* Lifespan by *Rhodiola rosea* Depends on Dietary Carbohydrate and Caloric Content in a Simplified Diet," *Journal of medicinal food*, vol. 19, pp. 318–323, Mar. 2016, doi: 10.1089/jmf.2015.0105.
- [117] S. E. Schriener et al., "Decreased mitochondrial superoxide levels and enhanced protection against paraquat in *Drosophila melanogaster* supplemented with *Rhodiola rosea*," *Free Radic Res*, vol. 43, no. 9, pp. 836–843, Sep. 2009, doi: 10.1080/10715760903089724.

REFERENCES

- [118] S. E. Schriener et al., "Extension of *Drosophila* Lifespan by *Rhodiola rosea* through a Mechanism Independent from Dietary Restriction," *PLOS ONE*, vol. 8, no. 5, p. e63886, May 2013, doi: 10.1371/journal.pone.0063886.
- [119] M. M. Bayliak and V. I. Lushchak, "The golden root, *Rhodiola rosea*, prolongs lifespan but decreases oxidative stress resistance in yeast *Saccharomyces cerevisiae*," *Phytomedicine*, vol. 18, no. 14, pp. 1262–1268, Nov. 2011, doi: 10.1016/j.phymed.2011.06.010.
- [120] F. a. C. Wiegant, S. Surinova, E. Ytsma, M. Langelaar-Makkinje, G. Wikman, and J. A. Post, "Plant adaptogens increase lifespan and stress resistance in *C. elegans*," *Biogerontology*, vol. 10, no. 1, pp. 27–42, Feb. 2009, doi: 10.1007/s10522-008-9151-9.
- [121] S. E. Schriener, A. Avanesian, Y. Liu, H. Luesch, and M. Jafari, "Protection of human cultured cells against oxidative stress by *Rhodiola rosea* without activation of antioxidant defenses," *Free Radic Biol Med*, vol. 47, no. 5, pp. 577–584, Sep. 2009, doi: 10.1016/j.freeradbiomed.2009.05.025.
- [122] J. Ni, Y. Li, W. Li, and R. Guo, "Salidroside protects against foam cell formation and apoptosis, possibly via the MAPK and AKT signaling pathways," *Lipids Health Dis*, vol. 16, no. 1, p. 198, Oct. 2017, doi: 10.1186/s12944-017-0582-7.
- [123] S.-S. Xing et al., "Salidroside attenuates endothelial cellular senescence via decreasing the expression of inflammatory cytokines and increasing the expression of SIRT3," *Mech Ageing Dev*, vol. 175, pp. 1–6, Oct. 2018, doi: 10.1016/j.mad.2017.12.005.
- [124] D. Zhao et al., "Salidroside attenuates oxidized low-density lipoprotein-induced endothelial cell injury via promotion of the AMPK/SIRT1 pathway," *International Journal of Molecular Medicine*, vol. 43, no. 6, pp. 2279–2290, Jun. 2019, doi: 10.3892/ijmm.2019.4153.
- [125] G. Ma et al., "*Rhodiola rosea* L. Improves Learning and Memory Function: Preclinical Evidence and Possible Mechanisms," *Front Pharmacol*, vol. 9, p. 1415, Dec. 2018, doi: 10.3389/fphar.2018.01415.
- [126] K. J. Abraham et al., "Intersection of calorie restriction and magnesium in the suppression of genome-destabilizing RNA-DNA hybrids," *Nucleic Acids Res*, vol. 44, no. 18, pp. 8870–8884, Oct. 2016, doi: 10.1093/nar/gkw752.
- [127] A. E. Every and I. M. Rysu, "Influence of Magnesium Ions on Spontaneous Opening of DNA Base Pairs," *J Phys Chem B*, vol. 112, no. 25, pp. 7689–7695, Jun. 2008, doi: 10.1021/jp8005876.
- [128] A. Hartwig, "Role of magnesium in genomic stability," *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*, vol. 475, no. 1, pp. 113–121, Apr. 2001, doi: 10.1016/S0027-5107(01)00074-4.
- [129] J. Petrović et al., "Magnesium Supplementation Diminishes Peripheral Blood Lymphocyte DNA Oxidative Damage in Athletes and Sedentary Young Men," *Oxidative Medicine and Cellular Longevity*, vol. 2016, p. e2019643, Mar. 2016, doi: 10.1155/2016/2019643.
- [130] F. H. Nielsen, "Magnesium deficiency and increased inflammation: current perspectives," *J Inflamm Res*, vol. 11, pp. 25–34, Jan. 2018, doi: 10.2147/JIR.S136742.
- [131] M. Rodríguez-Moran and F. Guerrero-Romero, "Oral magnesium supplementation improves the metabolic profile of metabolically obese, normal-weight individuals: a randomized double-blind placebo-controlled trial," *Arch Med Res*, vol. 45, no. 5, pp. 388–393, Jul. 2014, doi: 10.1016/j.arcmed.2014.05.003.
- [132] N. Veronese et al., "Effect of magnesium supplementation on glucose metabolism in people with or at risk of diabetes: a systematic review and meta-analysis of double-blind randomized controlled trials," *Eur J Clin Nutr*, vol. 70, no. 12, pp. 1354–1359, Dec. 2016, doi: 10.1038/ejcn.2016.154.
- [133] L. Setaro et al., "Magnesium status and the physical performance of volleyball players: effects of magnesium supplementation," *J Sports Sci*, vol. 32, no. 5, pp. 438–445, 2014, doi: 10.1080/02640414.2013.828847.
- [134] C. B. Edwards, "The effects of supplemented metabolites on lifespan and stress response pathways in *Caenorhabditis elegans*," *Graduate Theses and Dissertations*, 2015, [Online]. Available: <https://digitalcommons.usf.edu/etd/5681>
- [135] C. B. Edwards, N. Copes, A. G. Brito, J. Canfield, and P. C. Bradshaw, "Malate and Fumarate Extend Lifespan in *Caenorhabditis elegans*," *PLOS ONE*, vol. 8, no. 3, p. e58345, Mar. 2013, doi: 10.1371/journal.pone.0058345.
- [136] J. L. Wu, Q. P. Wu, J. M. Huang, R. Chen, M. Cai, and J. B. Tan, "Effects of L-malate on physical stamina and activities of enzymes related to the malate-aspartate shuttle in liver of mice," *Physiol Res*, vol. 56, no. 2, pp. 213–220, 2007, doi: 10.33549/physiolres.930937.
- [137] J.-L. Wu et al., "L-malate reverses oxidative stress and antioxidative defenses in liver and heart of aged rats," *Physiol Res*, vol. 57, no. 2, pp. 261–268, 2008, doi: 10.33549/physiolres.931161.
- [138] J.-L. Wu, Q.-P. Wu, Y.-P. Peng, and J.-M. Zhang, "Effects of L-malate on mitochondrial oxidoreductases in liver of aged rats," *Physiol Res*, vol. 60, no. 2, pp. 329–336, 2011, doi: 10.33549/physiolres.931986.
- [139] E. PAKONSTANTINO, M. ROTH, AND G. KARAKIULAKIS, "HYALURONIC ACID: A KEY MOLECULE IN SKIN AGING," *DERMATOENDOCRINOL*, VOL. 4, NO. 3, PP. 253–258, JUL. 2012, DOI: 10.4161/DERM.21923.
- [140] L. BALOGH ET AL., "ABSORPTION, UPTAKE AND TISSUE AFFINITY OF HIGH-MOLECULAR-WEIGHT HYALURONAN AFTER ORAL ADMINISTRATION IN RATS AND DOGS," *J AGRIC FOOD CHEM*, VOL. 56, NO. 22, PP. 10582–10593, NOV. 2008, DOI: 10.1021/JF8017029.
- [141] I. GÖLLNER, W. VOSS, U. VON HEHN, AND S. KAMMERER, "INGESTION OF AN ORAL HYALURONAN SOLUTION IMPROVES SKIN HYDRATION, WRINKLE REDUCTION, ELASTICITY, AND SKIN ROUGHNESS: RESULTS OF A CLINICAL STUDY," *J EVID BASED COMPLEMENTARY ALTERN MED*, VOL. 22, NO. 4, PP. 816–823, OCT. 2017, DOI: 10.1177/2156587217743640.
- [142] N. HISADA ET AL., "LOW-MOLECULAR-WEIGHT HYALURONAN PERMEATES THROUGH HUMAN INTESTINAL CACO-2 CELL MONOLAYERS VIA THE PARACELLULAR PATHWAY," *BIOSCI BIOTECHNOL BIOCHEM*, VOL. 72, NO. 4, PP. 1111–1114, APR. 2008, DOI: 10.1271/BBB.70748.
- [143] M. OE ET AL., "ORAL HYALURONAN RELIEVES WRINKLES: A DOUBLE-BLIND, PLACEBO-CONTROLLED STUDY OVER A 12-WEEK PERIOD," *CLIN COSMET INVESTIG DERMATOL*, VOL. 10, PP. 267–273, 2017, DOI: 10.2147/CCID.S141845.
- [144] C. KAWADA ET AL., "INGESTED HYALURONAN MOISTURIZES DRY SKIN," *NUTR J*, VOL. 13, P. 70, JUL. 2014, DOI: 10.1186/1475-2891-13-70.
- [145] S. M. JEGASOTHY, V. ZABOLOTNIAIA, AND S. BIELFELDT, "EFFICACY OF A NEW TOPICAL NANO-HYALURONIC ACID IN HUMANS," *J CLIN AESTHET DERMATOL*, VOL. 7, NO. 3, PP. 27–29, MAR. 2014.
- [146] M. S. DENZEL ET AL., "HEXOSAMINE PATHWAY METABOLITES ENHANCE PROTEIN QUALITY CONTROL AND PROLONG LIFE," *CELL*, VOL. 156, NO. 6, PP. 1167–1178, MAR. 2014, DOI: 10.1016/J.CELL.2014.01.061.
- [147] K. UNNO ET AL., "THEANINE INTAKE IMPROVES THE SHORTENED LIFESPAN, COGNITIVE DYSFUNCTION AND BEHAVIOURAL DEPRESSION THAT ARE INDUCED BY CHRONIC PSYCHOSOCIAL STRESS IN MICE," *FREE RADICAL RESEARCH*, VOL. 45, NO. 8, PP. 966–974, AUG. 2011, DOI: 10.3109/10715762.2011.566869.
- [148] K. ZARSE, S. JABIN, AND M. RISTOW, "L-THEANINE EXTENDS LIFESPAN OF ADULT CAENORHABDITIS ELEGANS," *EUR J NUTR*, VOL. 51, NO. 6, PP. 765–768, 2012, DOI: 10.1007/S00394-012-0341-5.
- [149] L. ZENG ET AL., "L-THEANINE ATTENUATES LIVER AGING BY INHIBITING ADVANCED GLYCATION END PRODUCTS IN D-GALACTOSE-INDUCED RATS AND REVERSING AN IMBALANCE OF OXIDATIVE STRESS AND INFLAMMATION," *EXPERIMENTAL GERONTOLOGY*, VOL. 131, P. 110823, MAR. 2020, DOI: 10.1016/J.EXGER.2019.110823.
- [150] A. CULETU, B. FERNANDEZ-GOMEZ, M. ULLATE, M. D. DEL CASTILLO, AND W. ANDLAUER, "EFFECT OF THEANINE AND POLYPHENOLS ENRICHED FRACTIONS FROM DECAFFEINATED TEA DUST ON THE FORMATION OF MAILLARD REACTION PRODUCTS AND SENSORY ATTRIBUTES OF BREADS," *FOOD CHEMISTRY*, VOL. 197, PP. 14–23, APR. 2016, DOI: 10.1016/J.FOODCHEM.2015.10.097.
- [151] N. EGASHIRA, K. HAYAKAWA, K. MISHIMA, H. KIMURA, K. IWASAKI, AND M. FUJIWARA, "NEUROPROTECTIVE EFFECT OF GAMMA-GLUTAMYLETHYLAMIDE (THEANINE) ON CEREBRAL INFARCTION IN MICE," *NEUROSCI LETT*, VOL. 363, NO. 1, PP. 58–61, JUN. 2004, DOI: 10.1016/J.NEULET.2004.03.046.
- [152] S. JAMWAL, S. SINGH, J. S. GILL, AND P. KUMAR, "L-THEANINE PREVENT QUINOLINIC ACID INDUCED MOTOR DEFICIT AND STRIATAL NEUROTOXICITY: REDUCTION IN OXIDO-NITROSATIVE STRESS AND RESTORATION OF STRIATAL NEUROTRANSMITTERS LEVEL," *EUR J PHARMACOL*, VOL. 811, PP. 171–179, SEP. 2017, DOI: 10.1016/J.EJPHAR.2017.06.016.
- [153] M. TAKESHIMA, I. MIYAZAKI, S. MURAKAMI, T. KITA, AND M. ASANUMA, "L-THEANINE PROTECTS AGAINST EXCESS DOPAMINE-INDUCED NEUROTOXICITY IN THE PRESENCE OF ASTROCYTES," *J CLIN BIOCHEM NUTR*, VOL. 59, NO. 2, PP. 93–99, SEP. 2016, DOI: 10.3164/JCBN.16-15.
- [154] S. THANGARAJAN, A. DEIVASIGAMANI, S. S. NATARAJAN, P. KRISHNAN, AND S. K. MOHANAN, "NEUROPROTECTIVE ACTIVITY OF L-THEANINE ON 3-NITROPROPIONIC ACID-INDUCED NEUROTOXICITY IN RAT STRIATUM," *INTERNATIONAL JOURNAL OF NEUROSCIENCE*, VOL. 124, NO. 9, PP. 673–684, SEP. 2014, DOI: 10.3109/00207454.2013.872642.



REFERENCES

- [155] J. H. Siamwala et al., "L-theanine promotes nitric oxide production in endothelial cells through eNOS phosphorylation," *J Nutr Biochem*, vol. 24, no. 3, pp. 595–605, Mar. 2013, doi: 10.1016/j.jnutbio.2012.02.016.
- [156] H. Yokogoshi, Y. Kato, Y. M. Sagesaka, T. Takihara-Matsuura, T. Kakuda, and N. Takeuchi, "Reduction effect of theanine on blood pressure and brain 5-hydroxyindoles in spontaneously hypertensive rats," *Biosci Biotechnol Biochem*, vol. 59, no. 4, pp. 615–618, Apr. 1995, doi: 10.1271/bbb.59.615.
- [157] A. Yoto, M. Motoki, S. Murao, and H. Yokogoshi, "Effects of L-theanine or caffeine intake on changes in blood pressure under physical and psychological stresses," *J Physiol Anthropol*, vol. 31, p. 28, Oct. 2012, doi: 10.1186/1880-6805-31-28.
- [158] J. M. Everett et al., "Theanine consumption, stress and anxiety in human clinical trials: A systematic review," *Journal of Nutrition & Intermediary Metabolism*, vol. 4, pp. 41–42, Jun. 2016, doi: 10.1016/j.jnim.2015.12.308.
- [159] K. Kimura, M. Ozeki, L. R. Juneja, and H. Ohira, "L-Theanine reduces psychological and physiological stress responses," *Biol Psychol*, vol. 74, no. 1, pp. 39–45, Jan. 2007, doi: 10.1016/j.biopsycho.2006.06.006.
- [160] K. Unno et al., "Anti-stress effect of theanine on students during pharmacy practice: positive correlation among salivary α -amylase activity, trait anxiety and subjective stress," *Pharmacol Biochem Behav*, vol. 111, pp. 128–135, Oct. 2013, doi: 10.1016/j.pbb.2013.09.004.
- [161] T. Lee Chong, E. L. Ahearn, and L. Cimmino, "Reprogramming the Epigenome With Vitamin C," *Frontiers in Cell and Developmental Biology*, vol. 7, p. 128, 2019, doi: 10.3389/fcell.2019.00128.
- [162] A. Monfort and A. Wutz, "Breathing-in epigenetic change with vitamin C," *EMBO Rep*, vol. 14, no. 4, pp. 337–346, Apr. 2013, doi: 10.1038/embor.2013.29.
- [163] E. A. Lutsenko, J. M. Cárcamo, and D. W. Golde, "Vitamin C Prevents DNA Mutation Induced by Oxidative Stress*," *Journal of Biological Chemistry*, vol. 277, no. 19, pp. 16895–16899, May 2002, doi: 10.1074/jbc.M201151200.
- [164] R. J. Sram, B. Binkova, and P. Rossner, "Vitamin C for DNA damage prevention," *Mutat Res*, vol. 733, no. 1–2, pp. 39–49, May 2012, doi: 10.1016/j.mrfmmm.2011.12.001.
- [165] A. Martin, J. A. Joseph, and A. M. Cuervo, "Stimulatory effect of vitamin C on autophagy in glial cells," *J Neurochem*, vol. 82, no. 3, pp. 538–549, Aug. 2002, doi: 10.1046/j.1471-4159.2002.00978.x.
- [166] R. Sangani et al., "The crucial role of vitamin C and its transporter (SVCT2) in bone marrow stromal cell autophagy and apoptosis," *Stem Cell Research*, vol. 15, no. 2, pp. 312–321, Sep. 2015, doi: 10.1016/j.scr.2015.06.002.
- [167] M. Mazidi, P. Rezaie, H.-K. Gao, and G. Ferns, "The effect of Ginger supplementation on serum C-reactive protein, lipid profile and glycaemia: A systematic review and meta-analysis," *Journal of food and nutrition research*, vol. 60, Aug. 2016, doi: 10.3402/fnr.v60.32613.
- [168] X. Deng et al., "Promotion of Mitochondrial Biogenesis via Activation of AMPK-PGC1 α Signaling Pathway by Ginger (Zingiber officinale Roscoe) Extract, and Its Major Active Component 6-Gingerol," *J Food Sci*, vol. 84, no. 8, pp. 2101–2111, Aug. 2019, doi: 10.1111/1750-3841.14723.
- [169] M. Makhdooni Arzati et al., "The Effects of Ginger on Fasting Blood Sugar, Hemoglobin A1c, and Lipid Profiles in Patients with Type 2 Diabetes," *Int J Endocrinol Metab*, vol. 15, no. 4, p. e57927, Oct. 2017, doi: 10.5812/ijem.57927.
- [170] H. Mozaffari-Khosravi, B. Talei, B.-A. Jalali, A. Najarzadeh, and M. R. Mozayan, "The effect of ginger powder supplementation on insulin resistance and glycemic indices in patients with type 2 diabetes: a randomized, double-blind, placebo-controlled trial," *Complement Ther Med*, vol. 22, no. 1, pp. 9–16, Feb. 2014, doi: 10.1016/j.ctim.2013.12.017.
- [171] E. Oh et al., "Ginger extract increases muscle mitochondrial biogenesis and serum HDL-cholesterol level in high-fat diet-fed rats," *Journal of Functional Foods*, vol. 29, pp. 193–200, Feb. 2017, doi: 10.1016/j.jff.2016.12.023.
- [172] N. S. Mashhadi, R. Ghiasvand, G. Askari, M. Hariri, L. Darvishi, and M. R. Mofid, "Anti-Oxidative and Anti-Inflammatory Effects of Ginger in Health and Physical Activity: Review of Current Evidence," *Int J Prev Med*, vol. 4, no. Suppl 1, pp. S36–S42, Apr. 2013.
- [173] A. Gomar, A. Hosseini, and N. Mirazi, "Memory enhancement by administration of ginger (Zingiber officinale) extract on morphine-induced memory impairment in male rats," *Journal of Acute Disease*, vol. 3, no. 3, pp. 212–217, Jan. 2014, doi: 10.1016/S2221-6189(14)60047-0.
- [174] S. Khaliq et al., "Enhancement in spatial and recognition memory functions following long term oral administration of ginger extract in rats," *Pak J Pharm Sci*, vol. 30, no. 6, pp. 2061–2066, Nov. 2017.
- [175] N. Saenghong et al., "Zingiber officinale Improves Cognitive Function of the Middle-Aged Healthy Women," *Evid Based Complement Alternat Med*, vol. 2012, p. 383062, 2012, doi: 10.1155/2012/383062.
- [176] N. Saenghong et al., "Ginger Supplementation Enhances Working Memory of the Post-Menopausal Women," *American Journal of Applied Sciences*, vol. 8, no. 12, pp. 1241–1248, 2011, doi: 10.3844/AJASSP.2011.1241.1248.
- [177] Y. ZHOU, L. XUE, L. GAO, X. QIN, AND G. DU, "GINGER EXTRACT EXTENDS THE LIFESPAN OF DROSOPHILA MELANOGASTER THROUGH ANTIOXIDATION AND AMELIORATING METABOLIC DYSFUNCTION," *JOURNAL OF FUNCTIONAL FOODS*, VOL. 49, PP. 295–305, OCT. 2018, DOI: 10.1016/J.JFF.2018.08.040.
- [178] E. B. LEE ET AL., "LONGEVITY AND STRESS RESISTANT PROPERTY OF 6-GINGEROL FROM ZINGIBER OFFICINALE ROSCOE IN CAENORHABDITIS ELEGANS," *BIOMOL THER (SEOUL)*, VOL. 26, NO. 6, PP. 568–575, NOV. 2018, DOI: 10.4062/BIOMOLTHER.2017.215.
- [179] R. S. AHMED, V. SETH, S. T. PASHA, AND B. D. BANERJEE, "INFLUENCE OF DIETARY GINGER (ZINGIBER OFFICINALES ROSC) ON OXIDATIVE STRESS INDUCED BY MALATHION IN RATS," *FOOD CHEM TOXICOL*, VOL. 38, NO. 5, PP. 443–450, MAY 2000, DOI: 10.1016/S0278-6915(00)00019-3.
- [180] M. JALALI ET AL., "THE EFFECTS OF GINGER SUPPLEMENTATION ON MARKERS OF INFLAMMATORY AND OXIDATIVE STRESS: A SYSTEMATIC REVIEW AND META-ANALYSIS OF CLINICAL TRIALS," *PHYTOTHERAPY RESEARCH*, VOL. 34, NO. 8, PP. 1723–1733, 2020, DOI: 10.1002/PTR.6638.
- [181] M. IGARASHI ET AL., "NAD+ SUPPLEMENTATION REJUVENATES AGED GUT ADULT STEM CELLS," *AGING CELL*, VOL. 18, NO. 3, P. E12935, 2019, DOI: 10.1111/ACEL.12935.
- [182] J. SONG ET AL., "NICOTINAMIDE MONONUCLEOTIDE PROMOTES OSTEOGENESIS AND REDUCES ADIPOGENESIS BY REGULATING MESENCHYMAL STROMAL CELLS VIA THE SIRT1 PATHWAY IN AGED BONE MARROW," *CELL DEATH DIS*, VOL. 10, NO. 5, PP. 1–12, APR. 2019, DOI: 10.1038/S41419-019-1569-2.
- [183] C. WILEY AND J. CAMPISI, "NAD+ CONTROLS NEURAL STEM CELL FATE IN THE AGING BRAIN," *THE EMBO JOURNAL*, VOL. 33, NO. 12, PP. 1289–1291, JUN. 2014, DOI: 10.15252/EMBJ.20148969.
- [184] A. DAS ET AL., "IMPAIRMENT OF AN ENDOTHELIAL NAD+ H2S SIGNALING NETWORK IS A REVERSIBLE CAUSE OF VASCULAR AGING," *CELL*, VOL. 173, NO. 1, PP. 74-89.E20, MAR. 2018, DOI: 10.1016/J.CELL.2018.02.008.
- [185] N. E. DE PICCIOTTO ET AL., "NICOTINAMIDE MONONUCLEOTIDE SUPPLEMENTATION REVERSES VASCULAR DYSFUNCTION AND OXIDATIVE STRESS WITH AGING IN MICE," *AGING CELL*, VOL. 15, NO. 3, PP. 522–530, JUN. 2016, DOI: 10.1111/ACEL.12461.
- [186] T. KISS ET AL., "NICOTINAMIDE MONONUCLEOTIDE (NMN) SUPPLEMENTATION PROMOTES ANTI-AGING MIRNA EXPRESSION PROFILE IN THE AORTA OF AGED MICE, PREDICTING EPIGENETIC REJUVENATION AND ANTI-ATHEROGENIC EFFECTS," *GEROSCIENCE*, VOL. 41, NO. 4, PP. 419–439, AUG. 2019, DOI: 10.1007/S11357-019-00095-X.
- [187] T. KISS ET AL., "NICOTINAMIDE MONONUCLEOTIDE (NMN) SUPPLEMENTATION PROMOTES NEUROVASCULAR REJUVENATION IN AGED MICE: TRANSCRIPTIONAL FOOTPRINT OF SIRT1 ACTIVATION, MITOCHONDRIAL PROTECTION, ANTI-INFLAMMATORY, AND ANTI-APOPTOTIC EFFECTS," *GEROSCIENCE*, VOL. 42, NO. 2, PP. 527–546, APR. 2020, DOI: 10.1007/S11357-020-00165-5.
- [188] S. TARANTINI ET AL., "NICOTINAMIDE MONONUCLEOTIDE (NMN) SUPPLEMENTATION RESCUES CEREBROMICROVASCULAR ENDOTHELIAL FUNCTION AND NEUROVASCULAR COUPLING RESPONSES AND IMPROVES COGNITIVE FUNCTION IN AGED MICE," *REDOX BIOLOGY*, VOL. 24, P. 101192, JUN. 2019, DOI: 10.1016/J.REDOX.2019.101192.
- [189] M. YOSHINO ET AL., "NICOTINAMIDE MONONUCLEOTIDE INCREASES MUSCLE INSULIN SENSITIVITY IN PREDIABETIC WOMEN," *SCIENCE*, VOL. 372, NO. 6547, PP. 1224–1229, JUN. 2021, DOI: 10.1126/SCIENCE.ABE9985.
- [190] M. IGARASHI ET AL., "CHRONIC NICOTINAMIDE MONONUCLEOTIDE SUPPLEMENTATION ELEVATES BLOOD NICOTINAMIDE ADENINE DINUCLEOTIDE LEVELS AND ALTERS MUSCLE MOTILITY IN HEALTHY OLD MEN," *RESEARCH SQUARE*, PREPRINT, JUN. 2021. DOI: 10.21203/RS.3.RS-455083/V1.
- [191] B. LIAO, Y. ZHAO, D. WANG, X. ZHANG, X. HAO, AND M. HU, "NICOTINAMIDE MONONUCLEOTIDE SUPPLEMENTATION ENHANCES AEROBIC CAPACITY IN AMATEUR RUNNERS: A RANDOMIZED, DOUBLE-BLIND STUDY," *JOURNAL OF THE INTERNATIONAL SOCIETY OF SPORTS NUTRITION*, VOL. 18, NO. 1, P. 54, JUL. 2021, DOI: 10.1186/S12970-021-00442-4.
- [192] J. L. AVALOS, K. M. BEVER, AND C. WOLBERGER, "MECHANISM OF SIRTUIN INHIBITION BY NICOTINAMIDE: ALTERING THE NAD+ COSUBSTRATE SPECIFICITY OF A SIRT ENZYME," *MOLECULAR CELL*, VOL. 17, NO. 6, PP. 855–868, MAR. 2005, DOI: 10.1016/J.MOLCEL.2005.02.022.

novos
YOUNGER FOR LONGER